Dale D. Wegner, Jr. P.E.,

County Engineer

Randy Ryan Assistant County Engineer

Galen C. Reed, Sr. Bridgette Watson Code Enforcement Officers

Public Works Department

"An American Public Works Accredited Department"

Encroachment Permits

* Special Events * Utilities *Commercial *Residential 2500 N. Ft. Valley Rd. Flagstaff, AZ 86001-1287 Phones (928) 226-2785 or 2786 FAX (928) 226-2718

WINTER CONDITIONS FOR EXCAVATION and CONSTRUCTION Enforced November 1 through April 30

GENERAL CONDITIONS

- A. Only short-term stationary work allowed (daytime, 1-12 hours duration; defined in MUTCD, Part VI, 6G-2a.) No open trench conditions allowed overnight.
 - Traffic control devices shall be equipped with Type A (low intensity) or Type B (high intensity) flashing lights.
- B. No work allowed if soil is frozen or above optimum moisture.
- C. No work allowed within 24 hours of 50% or greater chance of impending storms as predicted by the National Weather Service.
- D. No work allowed within 72 hours after a storm in order to accommodate snow removal and cleanup operations.
- E. No work allowed when visibility or weather conditions are such that safety to workers or the public is compromised, as determined by the Code Enforcement Officer (public works inspector) or authorized agent of Coconino County.
- F. No construction material storage, parking of equipment or blocking of roadway allowed according to winter No Parking Ordinance 86-6.

PAVED ROADS

- No Cutting or trenching allowed
- Directional drilling **may** be allowed on a case by case basis; no potholing for utility location allowed.

UNIMPROVED ROADS

• Roadway cut: 2 sack CLSM backfill only